# **Rochester Center for**

# **Economic Research**

The Econometric Analysis of Models with Risk Terms

Pagan, Adrian and Aman Ullah

Working Paper No. 113 December 1987

University of Rochester

#### THE ECONOMETRIC ANALYSIS OF MODELS WITH RISK TERMS\*

Adrian Pagan University of Rochester, Rochester, NY, USA 14627

and

Aman Ullah University of Western Ontario, London, Ontario, Canada Working Paper No. 113

April, 1986, Revised February, 1987

December 1987

×

We are grateful to Hashem Pesaran for his comments upon this paper and for the criticisms of two referees which have substantially improved the paper. Forthcoming: <u>Journal of Applied Econometrics</u>.

#### 1. Introduction

That the world inhabited by economic agents is a risky one has long been accepted and emphasized by economic theorists. In quantitative models, however, much less importance has traditionally been accorded to such effects. The rational expectations revolution in econometric analysis was largely concerned with how to model the mean of a random variable conditional upon an information set, and only minimal attention was paid to second and higher moments of the corresponding conditional distribution. Even in those instances where higher order moments entered the analysis, as in the Capital Asset Pricing Model, portfolio models, or the first order conditions from many "Euler equation" models, they were typically assumed constant, and so the effects of risk factors became absorbed into the parameter set. Frankel (1985) is a good illustration of this point.

Although the above seems a fair description of much research, events in the 1970's conspired to interest the applied economist in the difficulties of accounting for changing risk. The initial impetus seems to have come from a rise in inflation rates, and a group of studies was spawned that sought to examine the economic effects of greater unpredictability in either the levels of inflation or relative prices, for example Klein (1977) and Hercowitz (1981). Furthermore, as the 1970's wore on, freer exchange rates and much more flexible monetary policies in many economies meant that some allowance might need to be made for what was perceived as an increasingly risky environment.

There now exist a fair number of studies attempting to allow for a hanging risk term in economic models; a very small sample would have to mention Vanderhoff (1983), Mascaro and Meltzer (1983), Lawrence (1983), Engle (1983) and Gylfasson (1981). It is noticeable, however, that there are few theoretical papers on which econometric methods should be employed in this context, and there has been considerable diversity in the way in which each of the researchers has approached the problem. In an earlier paper, Pagan (1984), one of us briefly looked at the area, concluding that at least one of the popular methods was unlikely to be satisfactory, and suggesting some alternatives. However, the treatment was not very comprehensive, and it therefore seems appropriate to re-examine the issues here in somewhat greater depth than before.

Section 2 of this paper considers the estimation of a linear model containing a term representing the risk originating from a failure to perfectly predict some variable. Theoretical models show that this risk is related to the moments of the probability density function of the variable conditioned upon whatever information agents use in their optimization. For expository purposes we assume that the conditional variance is the appropriate moment, propose that it be replaced by functions of the observed data, and then recommend estimation of unknown parameters by instrumental variables, instruments being constructed from the information set. Conditions are set out under which the proposed estimator is consistent and in which correct inferences can be made. An important issue that arises in all estimation strategies for dealing with risk, including our own, is exactly how

anticipated values and risk terms should be related to the information available to agents. Most strategies presume linearity or perhaps a quadratic relationship, and there are serious consequences for estimation if these assumptions are invalid. For this reason we explore the use of non-parametric estimation procedures as a way of circumventing this difficulty, and we exploit the ideas developed here in some of the applications offered in Section 5. One of our major themes here is that an incorrect modeling of the anticipation induces a lot of variation in the unanticipated quantity, and that might be mistaken as variation in risk. Section 3 of the paper looks at issues arising when the level of risk is to be explained rather than when it is an explanator.

Within the literature a variety of proxies for risk can be found.

Section 4 looks at these to see how satisfactory each method is when used as a measure of risk in a modeling environment. In general the proxies suffer from a variant of the "errors in variables" problem, and therefore should only be used in conjunction with an instrumental variables estimator; if substituted directly into a regression an underestimate of the effect of risk on decisions is likely. An exception to this rule occurs if a parametric model for the risk term is adopted, but this methodology has its own problems involving potential mis-specification, which can be partially alleviated by following our instrumental variables approach. Finally, section 5 applies some of the ideas in the paper to a model of exchange rates (Longworth (1981)), and the impact of inflation uncertainty upon output (Coulsen and Robins (1985)).

#### Risk as a Regressor

# 2.1 An Instrumental Variables Estimator

Many macro-economic models are formulated by having agents optimally choose a variable  $y_t$  on the basis of some information set  $\mathcal{F}_t$  (where  $\mathcal{F}_t$  is non-decreasing in t). It is assumed here that this optimization yields a linear decision rule of the form

$$E(y_t | \mathcal{F}_t) = \bar{x}_t \gamma + \sigma_t^2 \delta \qquad t=1,2,\dots,T$$
 (1)

where  $\bar{x}_t \in \mathcal{F}_t$  is a (1xs) vector and  $\sigma_t^2$  is the variance of some variable  $\psi_t$  conditional upon  $\mathcal{F}_t$ .  $\sigma_t^2$  represents a "risk term" arising from the failure of agents to be able to correctly predict some variable  $\psi_t$ , which may be  $y_t$ . A model such as (1) can arise in a number of ways. Standard mean/variance analysis produces it, but there exist more general models in which  $\sigma_t^2$  can be taken as a linear approximation to the expectation of a non-linear function of a random variable, and this is then interpreted as risk, e.g. Leland (1961) for consumption. Each of  $\mathcal{F}_t$ ,  $\psi_t$ , and  $\bar{x}_t$  need to be defined by the theoretical context; in Stockman (1978) for example,  $\psi_t$  is a vector of variables involving the domestic and foreign money supplies and the real rate of return, while  $\mathcal{F}_t$  will be whatever information an agent is assumed to possess at the time when the optimizing exercise is carried out. It is convenient to treat  $\sigma_t^2$  as a scalar, as the extension to the vector case is obvious. Moreover, although it will be the second moment  $\sigma_t^2$  which is the focus of this paper, the methods advanced clearly extend to any moment of the density of  $\psi_t$  conditional upon

 $\mathcal{I}_{\rm t}$ , or even the covariance between two variables (say)  ${\bf w}_{1{\rm t}}$  amd  ${\bf w}_{2{\rm t}}$ . Equation (1) may be converted to the form

$$y_t = \bar{x}_t \gamma + \sigma_t^2 \delta + e_t \tag{2}$$

where  $e_t$  is an error term with the property  $E(e_t | \mathcal{F}_t) = 0$ . The estimation problem is that no direct observations on  $\sigma_t^2$  exist, and theory does not describe exactly how  $\sigma_t^2$  varies with  $\mathcal{F}_t$ . In this paper we will address the various solutions that have been proposed to this dilemma. First, however, let us suppose that it was indeed possible to construct a series  $\phi_t$  that is a function of some index N (not dependent on t) and that  $\phi_t^2(N) \xrightarrow{a.s.} \sigma_t^2$   $\forall t$  as N  $\to \infty$ . Such a series will be said to possess a "strong property", since for large enough N it is possible to regard  $\phi_t^2$  as  $\sigma_t^2$ . By contrast it may be that the sole series  $\phi_t$  which is available possesses only a "weak property",  $E(\phi_t^2 | \mathcal{F}_t) = \sigma_t^2$ .

As noted above, if  $\phi_t^2$  had the strong property it would be sensible to replace  $\sigma_t^2$  in (2) with  $\phi_t^2$  and to regress  $y_t$  against  $x_t$  and  $\phi_t^2$  to obtain an estimate of  $\delta$ . It is tempting them to do the same thing when it has the weak property, but then the model (2) becomes

$$y_{t} = \bar{x}_{t}^{\gamma} + \phi_{t}^{2} \delta + \epsilon_{t} = \bar{x}_{t}^{\gamma} + \phi_{t}^{2} \delta + \epsilon_{t} + \delta(\sigma_{t}^{2} - \phi_{t}^{2}). \tag{3}$$

Although  $E(\bar{x}_t^e) = 0$  and it may not be unreasonable to assert that  $E(\phi_t^2 e_t) = 0$ , it is clear that  $E(\phi_t^2 e_t)$  will not be zero as it involves  $\delta(E(\sigma_t^4) - E(\phi_t^4))$ ,

which is only zero in degenerate cases. When  $\phi_t$  is normal and  $\mathcal{F}_t$  consists of non-stochastic elements,  $(E(\sigma_t^4) - E(\phi_t^4))$  is  $-2\sigma_t^4$ . Pagan (1984, p234) notes that the size of the inconsistency in the OLS estimator of  $\delta$  can therefore be quite large. It should be observed that no such problems arise if  $\phi_t$  had the strong property since  $\delta(\sigma_t^2 - \phi_t^2) \xrightarrow{a.s.} 0$  as  $N \longrightarrow \infty$ .

Section 4 of the paper discusses the selections of  $\phi_t$  that have been made in the literature. With one exception the proxies for  $\sigma_t^2$  that have been suggested possess only a weak property, making their use in a regression context suspect. But there is a way out of the difficulty. As the analysis above shows, the inconsistency in the OLS estimator arises from the fact that the "true" regressor  $\sigma_t^2$  is observed with error, and so OLS suffers from an errors in variables bias. A standard solution to this is to estimate (2) not by OLS but by instrumental variables (IV). From the orthogonality condition  $\mathbb{E}(\mathbf{e}_t + \delta(\sigma_t^2 - \phi_t^2) | \mathbb{F}_t) = 0$ , we assume that there exist  $\mathbf{p} = \mathbf{s} + 1$  instruments  $\mathbf{z}_t$  constructed from  $\mathbb{F}_t^1$ . Having done so, restrictions need to be placed upon the nature of  $\mathbf{x}_t = (\bar{\mathbf{x}}_t, \phi_t^2)$ ,  $\mathbf{z}_t$  and  $\mathbf{c}_t$  to get desirable asymptotic properties for the IV estimator. It is convenient here to use the terminology and results from the asymptotic theory of mixing processes and we extensively utilize results from White (1984). Definitions and explanations of the terms can be found there.

<sup>&</sup>lt;sup>1</sup>If more instruments are available than p, generalized instrumental variable (GIV) (Sargan (1958)) or GMM estimators (Hansen (1982)) will need to replace the simple IV procedure adopted here. In the applications of section 5 we employ the GIV estimator, even if the number of instruments equals p.

#### **ASSUMPTIONS**

- (i)  $\{(z_t,x_t,\epsilon_t)\}$  is either a phi (or alpha) mixing sequence with mixing coefficients either  $\varphi(m)$  of size r'/(r'-1), r'>1 (or  $\alpha(m)$  of size r'/(r'-1), r'>1), where r'=r+a for some  $r\geq 1$  and  $0\leq a\leq r$ ;
- (ii) (a)  $E(z_t \epsilon_t) = 0$ 
  - (b)  $E|z_{ti} \in {}_{t}|^{2r'} < \Lambda < \infty$  for r' > 1,  $i = 1, \ldots, p$  and all t
  - (c)  $V_{bT} = var(T^{-1/2} \sum_{t=b+1}^{b+T} z_t \in t); V_T = V_{0T} \text{ and } \exists V \text{ finite and positive } definite such that } V_{bT} V \to 0 \text{ as } T \to \infty \text{ uniformly in } b;$
- (iii) (a)  $E|z_{ti}x_{tj}|^{r'} < \Delta_1 < \infty \text{ for } r' > 1 \text{ and all } i=1, \ldots, p;$   $j=1, \ldots, q+1; t=1, \ldots, T;$ 
  - (b)  $Q_T = E(Z'X/T)$  has uniformly full column rank
  - (c)  $\hat{P}_T P_T \xrightarrow{p} 0$  where  $\{P_T\}$  represents a p x p weighting matrix for the p instruments and is O(1) and uniformly positive definite.

We have chosen to state the conditions in terms of the joint vector  $(z_t, x_t, \epsilon_t)$  rather than  $(z_t, x_t, \epsilon_t)$ , as it saves a good deal of notation. However, since  $\phi_t^2 - \sigma_t^2$  will also mix as in (i), and  $\epsilon_t$  is the sum of  $\epsilon_t$  and  $\delta(\phi_t^2 - \sigma_t^2)$ , it is clear that no generality is lost in doing this.

We can immediately provide the following proposition.

Proposition 1: If (3) is written as  $y_t = x_t \beta + \epsilon_t$  or  $y = x\beta + \epsilon$ , and p = s + 1, under assumptions (i) - (iii) the instrumental variable estimator of  $\beta$ ,  $\beta = (Z'X)^{-1}Z'y$ , is a consistent estimator of  $\beta$ , while  $D_T^{-1/2}T^{1/2}(\beta - \beta) \stackrel{d}{\to} \mathcal{N}(0, I_{q+1})$ , where  $D_T = Q_T' V_T Q_T$ .

<u>Proof</u>: Theorem 5-22 of White (1984, p126) with  $P_T = (Q_T)^{-1}$ .

How restrictive is Proposition 1? Loosely, the assumptions restrict the processes  $\mathbf{x}_t, \phi_t^2$  and  $\mathbf{e}_t$  to be stationary; some non-stationarity in the second moment is possible but it is severely circumscribed. Now, since  $\sigma_t^2 = \mathrm{E}((\psi_t - \mathrm{E}(\psi_t | \mathcal{F}_t) | \mathcal{F}_t))$ , it is clear that  $\phi_t = \psi_t - \mathrm{E}(\psi_t | \mathcal{F}_t)$ ; that is it is the unanticipated part of  $\mathbf{x}_t$ . Since we would expect that  $\mathbf{x}_t$  and  $\mathrm{E}(\mathbf{x}_t | \mathcal{F}_t)$  would be co-integrated, using Engle and Granger's (1987) term, the unanticipated quantity should therefore be a stationary process provided each of  $\psi_t$  and  $\mathrm{E}(\psi_t | \mathcal{F}_t)$  are integrated of order 1, i.e. follow ARIMA (p,1,q) processes. It also seems reasonable that the correlation of  $\phi_t$  with values in the past should die out fairly quickly the further back one goes.

However, we cannot be so sanguine about other variables that drive the conditional mean from any optimizing exercise resulting in (1). As observed earlier, Stockman's (1978) model has  $y_t$  being the spot rate and  $\bar{x}_t$  the forward rate, and both of these processes are commonly regarded as ARIMA rather than ARMA processes. A variety of responses can be made to this challenge. First, the optimizing theory may suggest that the non-stationary integrated variables are co-integrated, i.e. there exists a linear combination of them which is stationary. That is the case in Stockman's formulation; the coefficient  $\gamma$  on the forward rate is unity so that (2) could be written as  $y_t - \bar{x}_t = \sigma_t^2 \delta + e_t$ ; a simple re-definition of  $y_t$  as  $y_t - \bar{x}_t$  then allows the assumptions to be invoked. More generally,  $y_t$  can be thought of as a linear combination of all

the co-integrated variables in the optimizing exercise, while  $\bar{x}_t$  contains only those members of  $\mathcal{F}_t$  that are stationary. When the co-integrating vector is not known, it can be estimated by regressing the co-integrated variables upon one another, with the residuals from this regression becoming  $y_t$  - this is the "two-step" procedure in Engle and Granger (1987) and the reader is referred there to the proof that replacing the co-integrating parameter by an estimate does not affect the limiting distribution of the estimators of parameters associated with stationary variables.

However, it is not in fact necessary to regress out all the integrated variables. Suppose that (3) is re-parameterized so that  $\bar{\mathbf{x}}_t$  is separated into  $\bar{\mathbf{x}}_{1t}$  (integrated) and  $\bar{\mathbf{x}}_{2t}$  (non-integrated) variables. The  $\gamma$  vector is partitioned conformably into  $\gamma' = (\gamma_1' \ \gamma_2')$ , while  $\gamma' = (\beta_2' \ \delta)$  and  $\beta_1 = \gamma_1$ . Let  $\bar{\mathbf{x}}_{1t}$  be its own instrument and denote the instruments for  $\bar{\mathbf{x}}_{2t}$  and  $\phi_t^2$  as  $z_{1t}$ . Then, if  $\bar{\mathbf{x}}_{1t}$  is ARIMA (0,g,0) while  $(\bar{\mathbf{x}}_{2t},z_{1t},\phi_t^2)$  are strictly stationary processes, Lemma 2 of Sims, Stock and Watson (1986) shows that cov  $(T^g(\tilde{\beta}_1 - \beta_1), T^{1/2}(\tilde{\beta}_2 - \beta_2)$  is zero in the limit as T- $\infty$ , so that the limiting normal distribution in Proposition 1 applies to the estimators of the parameters of the stationary variables. For  $\tilde{\beta}_1$ , the limiting distribution may or may not be normal depending upon whether there is drift in the ARIMA process or not. Because of this separability result, estimation of  $\delta$  can proceed as if  $y_t$  and  $\bar{\mathbf{x}}_t$  were stationary, and hence Proposition 1 and its extensions given below apply directly.

Proposition 1 shows that inference about  $\beta$  cannot be based upon the

standard covariance matrix for  $T^{1/2}(\stackrel{\sim}{\beta}-\beta)$  provided by most instrumental variables computer programs. That estimator is  $\sigma^2(TQ_T)^{-1}T^{-1}Z'Z(TQ_T)^{-1}$ , where  $\sigma^2$  is an estimate of the variance of  $\varepsilon_t$ , and, even if  $\varepsilon_t$  was independently distributed, does not equal  $V_T$  asymptotically owing to possible heteroskedasticity in the errors  $\varepsilon_t$ . It is necessary therefore to provide an estimator of the covariance matrix of  $T^{1/2}(\stackrel{\sim}{\beta}-\beta)$  which will be robust to the general form of evolutionary behaviour assumed for  $\phi_t$ . What is required is that  $V_T$  be consistently estimated, and for this we have the following proposition.

<u>Proposition 2:</u> Under the assumptions earlier but with mixing coefficients of size 2 (or of size  $2(r+a-1)^{-1}(r+a)$ , r > 1), and r' = 2(r+b) for some b > 0 in (ii)(b) and (iii)(a), the estimator

$$\hat{\mathbf{V}}_{\mathbf{T}} = \mathbf{T}^{-1} \sum_{t=1}^{\mathbf{T}} \mathbf{z}_{t}^{\mathsf{T}} \mathbf{z}_{t}^{\mathsf{T}} \hat{\mathbf{c}}_{t}^{2} + \mathbf{T}^{-1} \sum_{\tau=1}^{\ell} \sum_{t=\tau+1}^{\mathbf{T}} (\mathbf{z}_{t}^{\mathsf{T}} \hat{\mathbf{c}}_{t}^{\mathsf{T}} \hat{\mathbf{c}}_{t-\tau}^{\mathsf{T}} \mathbf{z}_{t-\tau} + \mathbf{z}_{t-\tau}^{\mathsf{T}} \hat{\mathbf{c}}_{t-\tau}^{\mathsf{T}} \hat{\mathbf{c}}_{t-\tau}^{\mathsf{T}} \hat{\mathbf{c}}_{t}^{\mathsf{T}} \mathbf{z}_{t})$$

is a consistent estimator of  $V_T$  when  $\hat{\epsilon}_t = y_t - x_t \hat{\beta}$  and  $\ell$  is  $o(T^{1/4})^2$ .

<u>Proof:</u> White (1984, Theorem 6.20), except the restriction upon  $\ell$  is the correction found in Phillips (1987) and Newey and West (1987).

Consistent estimation of  $\delta$  when a  $\phi_t^2$  is available such that  $\mathrm{E}(\phi_t^2|\mathcal{F}_t) = \sigma_t^2$ 

<sup>&</sup>lt;sup>2</sup>Newey and West (1987) give a weighted version which is a consistent estimator but ensures that  $\hat{V}_T$  would be positive definite.

is therefore relatively straightforward, and Propositions 1 and 2 give the limiting theory. Unfortunately, since  $\phi_t = \psi_t - \mathrm{E}(\psi_t | \mathcal{F}_t)$ , and it is going to be rare that  $\mathrm{E}(\psi_t | \mathcal{F}_t)$  is available (or known),  $\phi_t$  will need to be estimated from available data. In most econometric work  $\mathrm{E}(\psi_t | \mathcal{F}_t)$  is made a linear function of q elements  $(w_t)$  taken from  $\mathcal{F}_t$ , that is  $\psi_t = \mathrm{E}(\psi_t | \mathcal{F}_t) + \phi_t$  is assumed to be  $\psi_t = w_t \theta_0 + \phi_t$ , where  $\theta_0$  is the true value of some parameters.  $\phi_t$  would then be estimated by replacing  $\theta_0$  by some estimate  $\hat{\theta}$ .

Proposition 3 is concerned with the properties of the instrumental variables estimates when  $\phi_t^2$  is replaced by  $\hat{\phi}_t^2$ , where  $\hat{\phi}_t = \psi_t - w_t \hat{\theta}$ . It may be possible to state the conditions needed for Proposition 3 to hold in terms of the more primitive assumptions made earlier for Proposition 1, but it is easier to impose conditions directly upon  $w_t$ . Then Proposition 3 states that the limiting distribution of the "feasible" IV estimator  $T^{1/2}(\hat{\beta}-\beta)$ ,  $\hat{\beta}=(Z'\hat{X})^{-1}Z'y$ , where  $\hat{X}$  has  $t^{th}$  row  $(\bar{x}_t \ \hat{\phi}_t^2)$ , is the same as that of  $T^{1/2}(\hat{\beta}-\beta)$ .

Proposition 3: If (i)  $\hat{\theta} - \theta_0$  is  $0_p(T^{-1/2})$ , (ii) the set of conditions given earlier for Proposition 1 hold but with  $(z_t', x_t', \epsilon_t)$  augmented with  $w_t$ , (iii)  $E |(z_{ti}w_{tj}\phi_t)|^{r'+a} < \Delta_1 < \infty \text{ for some a > 0 Vt, (iv) } E |z_{ti}w_{tj}w_{tk}|^{r'+a} < \Delta_2 < \infty \text{ for some a > 0 Vt, } i=1,\ldots,q$ 

$$T^{1/2}(\hat{\beta}-\beta) - T^{1/2}(\hat{\beta}-\beta)$$
 is  $o_p(1)$ .

<u>Proof:</u> As  $\hat{\beta} = (Z'X)^{-1}Z'y$  and  $\hat{\beta} = (Z'\hat{X})^{-1}Z'y$  we first need to show that  $T^{-1}Z'X - T^{-1}Z'\hat{X}$  is  $o_{\mathbf{p}}(1)$ .

$$T^{-1}Z'X - T^{-1}Z'\hat{X} = T^{-1}Z'(X-\hat{X}) = \begin{bmatrix} 0 \\ T^{-1}\Sigma z_{t}'(\phi_{t}^{2} - \hat{\phi}_{t}^{2}) \end{bmatrix}$$
(4)

The i<sup>th</sup> element in  $T^{-1}\Sigma z_t'(\phi_t^2 - \hat{\phi}_t^2)$  is

$$T^{-1} \Sigma z_{it} (\phi_t^2 - \hat{\phi}_t^2) = 2 (T^{-1} \Sigma z_{it} w_t \phi_t) (\hat{\theta} - \theta_0) - (\hat{\theta} - \theta_0)' (T^{-1} \Sigma z_{it} w_t' w_t) (\hat{\theta} - \theta_0).$$
 (5)

By Proposition 3.50 of White (1984),  $(z_{it}, w_t, \phi_t)$  is a mixing sequence of order  $(r'-1)^{-1}r'$ , while by Theorem 3.49 of White  $z_{it}w_t'w_t$  also mixes. From the strong law of large numbers for mixing processes – White, Corollary 3.48 – and conditions (ii) and (iii) of the proposition,  $T^{-1}\Sigma z_{it}w_t\phi_t$  and  $T^{-1}\Sigma z_{it}w_t'w_t$  both converge to their expectations. Hence (5) is  $o_p(1)$  and

$$\hat{\beta} - \hat{\beta} = (T^{-1}Z'X)^{-1}T^{-1/2}\Sigma z_{t}'(\phi_{t}^{2} - \hat{\phi}_{t}^{2})\delta + o_{p}(1).$$
 (6)

Inspection of (5) multiplied by  $T^{1/2}$  shows that with condition (i) and  $T^{-1}\Sigma z_{it}w_t\phi_t \stackrel{p}{\to} 0$  (because  $E(\phi_t|z_{it}w_t) = 0$ ),  $T^{-1/2}\Sigma z_t'(\phi_t^2 - \hat{\phi}_t^2)$  is  $o_p(1)$ , verifying the proposition.  $\square$ 

# 2.2 Problems in Constructing Proxies and Instruments

An emphasis on the IV method for handling the errors in variables arising when  $\phi_t^2$  replaces  $\sigma_t^2$  fits well with the recent tendency in macroeconomic research to generate estimators from orthogonality conditions. The popularity

of this strategy is partly explained by the robustness of the IV estimator to any failure of the econometrician to have the complete information set available to the agent. Thus if (1) was  $E(y_t|\mathcal{F}_t) = \bar{x}_t \gamma$ , and the only information available to an econometrician was  $\mathcal{G}_t \mathcal{G}_t$ , an estimable equation is

$$y_{t} = E(y_{t} | \mathcal{G}_{t}) \gamma + e_{t} + (E(y_{t} | \mathcal{G}_{t}) - E(y_{t} | \mathcal{G}_{t})) \gamma.$$
 (7)

If IV is applied to (7) with instruments chosen from  $\mathscr{G}_t$ , the estimator of  $\gamma$  is consistent as  $\mathrm{E}(\mathrm{E}(\mathrm{y}_t|\mathscr{F}_t)-\mathrm{E}(\mathrm{y}_t|\mathscr{G}_t))|\mathscr{G}_t)=0$  from the law of iterated expectations (Nelson (1975), Wickens (1982)). Unhappily, such a felicitous outcome does not carry over to the estimation of the effects of risk. Proposition 4 deals with this point.

<u>Proposition 4</u>: Unless  $\mathcal{G}_t = \mathcal{F}_t$ , variables in  $\mathcal{G}_t$  will generally be correlated with the error term in any model in which  $\sigma_t^2 = \mathbb{E}(\phi_t^2 | \mathcal{F}_t)$  is replaced by  $\bar{\sigma}_t^2 = \mathbb{E}(\bar{\phi}_t^2 | \mathcal{G}_t)$  where  $\bar{\phi}_t = \mathbf{y}_t - \mathbb{E}(\mathbf{y}_t | \mathcal{G}_t)$ .

<u>Proof</u>: Let  $\bar{\phi}_t = y_t - E(y_t | \mathcal{G}_t)$  so that  $\sigma_t^2 = E(\phi_t^2 | \mathcal{G}_t), \bar{\sigma}_t^2 = E(\bar{\phi}_t^2 | \mathcal{G}_t)$  and the model estimated by the investigator is based upon

$$y_{t} = \bar{x}_{t} \delta + \bar{\sigma}_{t}^{2} \delta + e_{t} + (\sigma_{t}^{2} - \bar{\sigma}_{t}^{2}) \delta. \tag{8}$$

Evaluating the expectation of the last term in (8) conditional upon  $\boldsymbol{\mathscr{G}}_t$  gives

Of course the instruments selected from  $\mathscr{G}_t$  must be correlated with  $\phi^2$  asymptotically if the IV estimator is to be consistent. This is assumption (iii)(b) and it is to be presumed to hold whenever we mention an instrument.

$$\begin{split} &\delta E((\sigma_t^2 - \bar{\sigma}_t^2) \,|\, \mathscr{G}_t) = \delta E[(E(\phi_t^2 | \mathscr{F}_t) - E(\bar{\phi}_t^2 | \mathscr{G}_t)) \,|\, \mathscr{G}_t], \quad \text{Substituting } \phi_t = \bar{\phi}_t \,+ \\ &E(\psi_t \,|\, \mathscr{G}_t) - E(\psi_t \,|\, \mathscr{F}_t), \quad \text{and simplifying using the law of conditional expectations} \\ &\text{shows that } \delta E((\sigma_t^2 - \bar{\sigma}_t^2) \,|\, \mathscr{G}_t) = \delta \{[E(\psi_t \,|\, \mathscr{G}_t)]^2 - E[(E(\psi_t \,|\, \mathscr{F}_t))^2 \,|\, \mathscr{G}_t]\}. \quad \text{This} \\ &\text{expression is generally non-zero as Jensen's inequality for conditional} \\ &\text{expectations has } E[(E(\psi_t \,|\, \mathscr{F}_t))^2 \,|\, \mathscr{G}_t] \, \geq \, [E(\psi_t \,|\, \mathscr{G}_t)]^2. \end{split}$$

Because of the correlation of members of the set  $\mathscr{G}_t$  with  $(\sigma_t^2 - \overline{\sigma}_t^2)$ , consistent estimation of  $\delta$  will almost always require that  $\mathscr{F}_t$  be known. Only if  $\delta = 0$ , in which case  $\delta(\sigma_t^2 - \overline{\sigma}_t^2)$  does not appear in the error term of (8), will consistent estimation be possible with a truncated information set. This makes it crucial that  $\mathscr{G}_t$  be set wide enough to encompass  $\mathscr{F}_t$ , when generating the conditional expectation. Such a lack of robustness makes the estimation of models with risk terms a very difficult task. Throughout the remainder of this paper we maintain the assumption that  $\mathscr{G}_t = \mathscr{F}_t$ .

Even if the set of variables in  $\mathscr{F}_t$  can be identified however, the assumption that  $\mathrm{E}(y_t|\mathscr{F}_t)$  is linear in  $w_t$  could well be incorrect. Moreover, no guidance has been given concerning the selection of instruments  $z_t$ , and it is likely that  $z_t$  will have to be a non-linear function of  $\mathscr{F}_t$ . To appreciate this point, suppose that  $\mathrm{E}(\psi_t|\mathscr{F}_t)=\theta\psi_{t-1}$  and that  $\phi_t$  was normal and identically distributed with zero mean and conditional variance  $\sigma_t^2=\alpha_0+\alpha_1\psi_{t-1}^2$ . Because  $\psi_{t-1}\in\mathscr{F}_t$ , it is a potential instrument for  $\phi_t^2$ , but clearly  $\mathrm{E}(\psi_{t-1}\phi_t^2)=\mathrm{E}[\psi_{t-1}(\alpha_0+\alpha_1\psi_{t-1}^2)]=0$  as  $\psi_t$  is normally distributed with zero odd moments when  $|\theta|<1$ , thereby violating the requirement for a good instrument in assumption (iii)(b). If, however,  $\psi_{t-1}^2$  is taken as the instrument,  $\mathrm{E}(\psi_{t-1}^4)\neq 0$ 

O and it satisfies the conditions. Of course an ideal instrument for  $\phi_t^2$  would be  $\sigma_t^2$ , but economic theory is not of much help in indicating how  $\sigma_t^2$  can be expected to vary with  $\mathcal{F}_t$  - all models that allow for risk merely note the dependence of decisions upon the conditional variance, assuming that agents will learn about how the available information maps into this moment.

It should not be thought that our concern over the proper functional forms for  $\mathrm{E}(\psi_t|\mathfrak{F}_t)$  and  $\sigma_t^2$  is something peculiar to our estimation methods. Whenever a particular specification is made for these variables, and estimation is performed under that assumption, inconsistent estimators of  $\beta$  and  $\delta$  are likely. It is our contention that the IV estimator is potentially more robust, a theme we develop later, but to maintain that it is necessary for us to be able to estimate  $\phi_t$  without a precise specification for  $\mathrm{E}(\psi_t|\mathfrak{F}_t)$ . It is not necessary that we be able to estimate  $\sigma_t^2$ , but the fact that it is an ideal instrument suggests that there are good reasons for us doing so. However, all we need is that the instruments for  $\phi_t^2$  be constructed from  $\mathfrak{F}_t$ , and estimates of  $\sigma_t^2$  from quite incorrect functional forms for  $\sigma_t^2$  would be satisfactory. Later in our examples we construct some instruments in this way.

# 2.3 Non-Parametric Methods of Estimating $E(\psi_t | \mathcal{F}_t)$ and $\sigma_t^2$

How then could estimates of the conditional mean and variance of  $\psi_t$  be found that do not rely on linearity? Our objective is to estimate  $E(g(\psi_t) \big| \mathbf{w}_t), \text{ where } \mathbf{w}_t \text{ represents the elements in } \mathcal{F}_t \text{ and } g(\psi_t) \text{ is either } \psi_t \text{ or } \mathbf{w}_t \text{ or$ 

 $\psi_{\rm t}^2$ . Non-parametric estimation procedures have been advanced in recent years to estimate such conditional moments, with the main econometric references being Bierens (1987), Robinson (1983), Robinson (1986), and Singh and Ullah (1985). Readers are referred to these papers for a more detailed discussion of the methods employed.

Robinson (1983) is perhaps the most general treatment of those mentioned above. He considered how to estimate quantities of the form  $E(g(\psi_t)|w_t)$  where g is a Borel function on  $R^1$  such that  $E|g(\psi_t)| < \infty$  and  $w_t$  contains a finite number of lags of  $\psi_t$ . Robinson, and the others referred to above, employ the kernel method of moment estimation pioneered by Nadaraya (1964) and Watson (1964) to produce an estimator of the conditional mean of  $g(\psi_t)$  at  $w_t = \overline{w}_t$  of the form

$$\hat{E}(g(\psi_{t})|\bar{w}_{t}) = \frac{\left[ (\gamma_{T}^{q_{T}})^{-1} \sum_{j=1}^{T} g(\bar{\psi}_{j}) K((\bar{w}_{t} - \bar{w}_{j}) / \gamma_{T}) \right]}{\left[ (\gamma_{T}^{q_{T}})^{-1} \sum_{j=1}^{T} K((\bar{w}_{t} - \bar{w}_{j}) / \gamma_{T}) \right]}.$$
(9)

where  $\bar{w}_j$ ,  $\bar{\psi}_j$  are observed data,  $\tau_T$  is a "bandwidth" parameter that is typically proportional to  $T^{-1/(4+q)}$ , K( ) is a kernel function that aims to smooth the data and  $q = \dim(w_t)$ . Ullah (1986) and Bierens (1987) explain the logic of this formula. Many types of kernels might be employed. A popular one used later in Section 5 is the normal kernel (see Singh and Ullah (1985, p.31) for this).

Under various restrictions upon  $\gamma_T$ , differentiability of the density function of  $\psi_t$ ,  $w_t$ , boundedness of  $g(\psi_t)$ , and assuming  $(\psi_t, w_t)$  are strictly

stationary stochastic processes that are  $\alpha$ -mixing with mixing coefficients  $\alpha_j$  such that  $\sum\limits_{j=T}^{\infty} \alpha_j$  is  $o(T^{-1})$ , Robinson shows that  $\hat{E}(g(\psi_t)|\bar{w}_t) \stackrel{p}{\to} E(g(\psi_t)|\bar{w}_t)$  and  $(a_T^T)^{1/2}(\hat{E}(g(\psi_t)|\bar{w}_t) - E(g(\psi_t)|\bar{w}_t))$  has a limiting normal distribution, where  $a_T = \gamma_T^q$ . If  $g(\psi_t)$  is not bounded but has bounded moments of order h, Robinson also showed that the normality result goes through provided  $\sum\limits_{j=T}^{\infty} \alpha_j^{1-(2/h)}$  is  $O(T^{-1})$ , (h>2). Hence it is possible to estimate  $g(\psi_t)$  without specifying the exact way in which this function depends on  $w_t$ .

A number of quantities can be constructed from this result. Suppose non-parametric estimates of  $\mathrm{E}(\psi_t^-|\bar{\mathbf{w}}_t)$  and  $\mathrm{E}(\psi_t^2^-|\bar{\mathbf{w}}_t)$  are available, i.e. set  $\mathrm{g}(\psi_t^-) = \psi_t^-$  and  $\psi_t^-$  respectively in (9). Then we can define  $\hat{\sigma}_t^-$  =  $\hat{\mathrm{E}}(\psi_t^-|\bar{\mathbf{w}}_t^-)$  -  $[\hat{\mathrm{E}}(\psi_t^-|\bar{\mathbf{w}}_t^-)]^2$  and thereby derive a consistent estimate of  $\sigma_t^-$  by non-parametric methods. The non-parametric mean estimator  $\hat{\mathbf{w}}_t^-$  =  $\hat{\mathrm{E}}(\psi_t^-|\bar{\mathbf{w}}_t^-)$  also yields non-parametric residuals  $\hat{\phi}_t^-$  =  $\psi_t^-$  -  $\hat{\mathbf{w}}_t^-$ . Previously such estimates were utilized to set up an IV estimator, and it is natural to do that again. Thus the equation to be estimated is:

$$y_{t} = \bar{x}_{t}^{\gamma} + \hat{\phi}_{t}^{2} \delta + e_{t} + \delta(\sigma_{t}^{2} - \phi_{t}^{2}) + \delta(\phi_{t}^{2} - \hat{\phi}_{t}^{2})$$
 (10)

with instruments  $z_t$ . Proposition 5 gives a statement of conditions under which the IV estimator of  $\beta' = (\gamma' \delta)$  is consistent when  $\hat{m}_t$  is found from a non-parametric estimation method.

<u>Proposition 5</u>: Under (i) the conditions set out in Proposition 1, and, (ii) that  $\hat{m}_t - m_t$  is uniformly consistent, i.e.  $w \in \mathbb{R}^q$   $(\hat{m}_t - m_t)$  is  $o_p(1)$ ,  $\hat{\beta} = (Z'X)^{-1}Z'y$  is a consistent estimator of  $\beta$ .

Proof: It is only necessary to show that  $T^{-1}\Sigma z_t(\phi_t^2 - \hat{\phi}_t^2) \stackrel{p}{\to} 0$  as  $T^{-1}\Sigma z_t e_t$  and  $T^{-1}\Sigma z_t(\sigma_t^2 - \phi_t^2)$  were shown to converge to zero in the proof of Proposition 1. A sufficient condition for this is that  $T^{-1}\Sigma z_t(\phi_t^2 - \hat{\phi}_t^2) \stackrel{p}{\to} 0$  or  $-2T^{-1}\Sigma z_{it}\phi_t(\hat{\phi}_t - \phi_t) + T^{-1}\Sigma z_{it}(\hat{\phi}_t - \phi_t)^2 \stackrel{p}{\to} 0$   $\forall i = 1, \ldots, p$ . As the first element in this expression is of higher order than the second we concentrate upon it, re-writing it as  $T^{-1}\Sigma z_{it}\phi_t(m_t - \hat{m}_t)$ . A sufficient condition for  $T^{-1}\Sigma z_{it}\phi_t(m_t - \hat{m}_t) \stackrel{p}{\to} 0$  is that  $T^{-1}\Sigma |z_{it}\phi_t| |m_t - \hat{m}_t| \stackrel{p}{\to} 0$ , and the latter is bounded by  $[T^{-1}\Sigma |z_{it}\phi_t|] \stackrel{\sup}{\sup} (\hat{m}_t - m_t| - m_t| - m_t) = 0$ , and  $\Phi_t$  are stationary and ergodic processes, from the ergodic theorem (White (1984, Theorem 3.34, p.42)),  $T^{-1}\Sigma |z_{it}\phi_t| \stackrel{p}{\to} E(|z_{it}\phi_t|)$  if  $E|z_{it}\phi_t| < \infty$ . But from the Cauchy-Schwartz inequality  $E|z_{it}\phi_t| \le [E(z_{it}^2)E(\phi_t^2)]^{1/2} < \infty$  under the assumptions of Proposition 1.

Of course, the pertinent question concerns the likelihood of uniform convergence of  $\hat{m}_t$ . This has been shown under a number of different assumptions about the way in which  $\psi_t$  and  $w_t$  are generated. Bierens (1983) allows the processes to be  $\phi$ -mixing or to have a  $\phi$ -mixing base and shows uniform consistency under the condition that  $\gamma_T^{2q} T \sum_{j=0}^T \phi_j^{1/2} \rightarrow \infty$  as  $T \rightarrow \infty$ , where

 $\phi_j$  are here the mixing coefficients. Sufficient conditions for this are  $\gamma_T^{2q}T \to \infty$  and  $\sum_{0}^{\infty} \phi_j^{1/2} < \infty$ . When processes are  $\alpha$ -mixing, using the proof in Singh and Ullah (1987),  $\hat{m}_t - m_t$  can be shown to be uniformly consistent provided  $\gamma_T^{2q}T \to \infty$  and  $\sum_{j=0}^{\infty} \alpha_j^{1-(2/h)} < \infty$ , where the h'th moment of  $\hat{m}_T(h>2)$  is bounded. Thus uniform convergence of  $\hat{m}_t$  seems a reasonable assumption for most time series, although there is no completely general treatment yet available in the literature.

Having established consistency under fairly general conditions, questions of inference come to the fore, and these prove to be far more complex. One important case can be dispatched immediately: when it is desired to test if  $\delta=0$ . A good deal of econometric work involves testing such an hypothesis, i.e. checking for the existence of a risk premium, giving Proposition 6 below a substantial range of application.

<u>Proposition 6</u>: Under the same conditions as in Propositions 2 and 5, and  $\delta$ =0, the covariance matrix of the IV estimator, formed by generating  $\hat{\phi}_t$  non-parametrically, is the same as that of Proposition 1, and may be consistently estimated as in Proposition 2.

<sup>&</sup>lt;sup>4</sup>This correction to Singh and Ullah's (1985) result on uniform consistency was suggested by P. M. Robinson in a personal communication to the second author, who is grateful for this information.

<u>Proof:</u> When  $\delta=0$  the error in (10) is just  $e_t$ , and it is only necessary to show that  $T^{-1}Z'\hat{X}$  is  $O_p(1)$ . The only new term is  $T^{-1}\Sigma z_{it}\hat{\phi}_t^2$  and this converges to  $T^{-1}\Sigma z_{it}\hat{\phi}_t^2$  if  $T^{-1}\Sigma z_{it}\hat{\phi}_t^2$  if  $T^{-1}\Sigma z_{it}\hat{\phi}_t^2$  of an outcome demonstrated in the proof of Proposition 5.

Unfortunately, once the realm of testing the sharp hypothesis  $\delta$ =0 is left, it becomes difficult to provide a precise answer to how the covariance matrix of the IV estimator of Proposition 4 should be computed.<sup>5</sup> Ideally, one would like to extend Proposition 3, but this does not seem to be possible. The situation is akin to that in Carroll (1982) in that it requires  $T^{-1/2}\Sigma z_{t}e_{t}(m_{t}-\hat{m}_{t}) \xrightarrow{p} 0$ . Carroll demonstrated this when all data was independently and identically distributed,  $\sigma_{t}^{2}$  was a function of only a single variable  $\mathbf{w}_{t}$ , and  $\mathbf{w}_{t}$  had bounded, compact support. But it seems very hard to generalize this result. Fundamentally, the difficulty in doing so arises from the fact that  $\hat{\mathbf{m}}_{\mathbf{t}}$  is a ratio of random variables and, with standard kernels such as the normal, there is no guarantee that its finite-sample variance exists. Hence, it becomes hard to apply standard limit theorems. Robinson (1987) has managed to extend Carroll's result by replacing the kernel estimator  $\mathbf{m}_{\mathbf{t}}$  by a nearest-neighbour estimator, and it may be necessary to follow that route here as well. If all the data could be regarded as identically and independently distributed, and  $\hat{\mathbf{m}}_{t}$  converged uniformly to  $\mathbf{m}_{t}$ ,

Note that if all one was interested in was testing if  $\delta$ =0 any proxy for  $\sigma_t^2$  could be entered into a regression of  $y_t$  against  $\bar{x}_t$  and the proxy and the OLS results used to test if  $\delta$ =0. Presumably the power of the test depends upon the correlation of the proxy and  $\sigma_t^2$ , and this indicates that an arbitrary choice of proxy may not be a good strategy.

it would be easy to adapt Stock's (1985) proof to show that  $T^{-1/2}\Sigma z_t e_t(\mathbf{m}_t - \hat{\mathbf{m}}_t) \xrightarrow{P} 0 \text{ and it seems likely that this approach will generalize to this context.}$ 

#### 3. Risk as a Regressand

It is not always the case that the model to be estimated has risk as a regressor. Sometimes information is sought upon the importance of different influences upon the level of risk, in which case it appears as the dependent variable in a regression. Two examples might be cited. The first arises in the debate over whether the variability in inflation is an increasing function of its level or not. Applications exist in which measures of "inflation risk" are related to the level of inflation, for example Hercowitz (1981), Pagan et al (1983) and Engle (1983). A second type comes from the volatility debate initiated by Shiller (1981), which argued that stock market prices fluctuated much more than dividends. Malkiel (1979) and Pindyck (1984) attribute the decline in real stock market values between the mid-1960's and the early 1980's as due to a rise in risk. This could be captured by assuming that  $\sigma_{\rm t}^2$  =  $\sigma^2 + \alpha D_t$ , where  $D_t$  is a dummy variable that is unity after the time in which risk is assumed to rise. Alternative hypotheses in the same line are the investigation by Poterba and Summers (1986), which has  $\sigma_{\rm t}^2$  following an autoregression  $\sigma_t^2 = \alpha_0 + \alpha_1 \sigma_{t-1}^2$ , or French et al (1987) who model it as an ARIMA process.

All of these possibilities can be captured in (11)<sup>6</sup>

$$\sigma_{t}^{2} = \sum_{j=1}^{k} \alpha_{j} \sigma_{t-j}^{2} + \bar{x}_{t}^{\gamma}$$

$$(11)$$

which can be converted to a suitable estimating equation

$$\phi_{t}^{2} = \sum_{j=1}^{k} \alpha_{j} \phi_{t-j}^{2} + \bar{x}_{t}^{\gamma} + \sum_{j=0}^{k} \alpha_{j} (\sigma_{t-j}^{2} - \phi_{t-j}^{2}) , (\alpha_{0} = -1)$$
 (12)

provided that  $\phi_t$  exhibits the weak property with respect to  $\sigma_t^2$ . It is the divergence between  $\phi_{t-j}^2$  and  $\sigma_{t-j}^2$  that makes (12) a stochastic relation.

If the  $\alpha_j$  in (11) were all zero, (12) would be a standard linear model to which least squares could be applied provided  $\bar{x}_t$  appeared in the information set: if it did not an instrumental variables estimator would need to be invoked. Thus a consistent estimator of  $\gamma$  would be readily available, and the only complication is the need to allow for the heterogeneity in the error term when performing inferences.

When lagged terms of  $\phi_t^2$  appear in (12), OLS would generally be inconsistent. Supose that  $\bar{x}_t$  is absent from (12) and that k=1. Then the

<sup>&</sup>lt;sup>6</sup>Poterba and Summers add a disturbance term to (11). Although this just augments the error term in (12) and does not change our argument in any way, it is not at all clear why they should add an error term to (11). By definition  $\sigma_{\rm t}^2$  is a conditional expectation and therefore a function of variables entering the conditioning set. One explanation would be that the appended error appears in the conditioning set used by agents but is absent from that of the econometrician's.

OLS estimator of  $\alpha_1$  is  $\hat{\alpha}_1 = \alpha_1 + (\sum\limits_{t=1}^T \phi_{t-1}^4)^{-1} (\sum\limits_{t=1}^T \phi_{t-1}^2 (\sigma_{t-1}^2 - \phi_{t-1}^2)) \alpha_1 + o_p(1)$ , and the inconsistency is  $\alpha_1 \mu_4^{-1} (v - \mu_4)$ , where  $v = \lim_{T \to \infty} T^{-1} \sum\limits_{t=1}^T E(\sigma_{t-1}^4)$  and  $\mu_4 = \lim_{T \to \infty} T^{-1} \sum\limits_{t=1}^T E(\phi_{t-1}^4)$ . If  $\phi_t$  was conditionally normally distributed then  $E(\phi_t^4) = E[E(\phi_t^4 | \mathcal{F}_t)] = E[3\sigma_t^4]$  and  $\mu_4 = \lim_{t \to \infty} T^{-1} \sum\limits_{t=1}^T 3E(\sigma_{t-1}^4)$ , making the inconsistency equal to  $-(2/3)\alpha_1$ . Hence, even if the true value of  $\alpha_1$  is close to unity, the OLS estimate will tend to be very low by comparison. 7

Estimation of (12) therefore needs to be done by IV. However, the presence of an MA(k) in the disturbance term of (12) introduces a new complication, since although members of  $\mathcal{F}_t$  are uncorrelated with  $(\phi_t^2 - \sigma_t^2)$ , they need not be with  $\{\phi_{t-j}^2 - \sigma_{t-j}^2\}_{j=1}^k$ . What is certain, however, is that elements of  $\mathcal{F}_{t-k-1}$  will be, and this means that instruments need to be constructed by lagging the information set at least (k+1) times. Of course, this is an old strategy for getting consistent estimators of the AR part of ARMA models.

#### 4. The Properties of Alternative Risk Measures

As mentioned in the introduction, there are quite a number of papers that have been concerned to calibrate the effects of risk and have entered some measure of it into regressions. Because these measures are widespread it is important to understand why they can be defective, and we turn to an investigation of that here. Some of these procedures are specific to

<sup>&</sup>lt;sup>7</sup>Poterba and Summers (1986) conclude (p.1147) that the inconsistency is small, despite the fact that they assume normality for the  $\phi_{\rm t}$  (footnote 10, p.1147).

inflation risk, although they might be adapted to other contexts as well. Four methods are singled out for analysis.

### (a) Moving Average Measures

This is by far the most popular technique; references would be legion but a small sample is Gylfason (1981), Klein (1977), Ibrahim and Williams (1978) and Pindyck (1984). The strategy here is to replace  $\sigma_{\rm t}^2$  by  $\phi_{\rm t}^2$  constructed as

$$\phi_t^2 = m^{-1} \sum_{j=0}^{m-1} (\psi_{t-j} - \mu_{t-j})^2 \text{ where } \mu_t = m^{-1} \sum_{\ell=0}^{m-1} \psi_{t-\ell}.$$

It is not entirely clear what the argument for this definition is. Moreover, it is not hard to construct cases where it can be very misleading. For example, suppose that  $\psi_t = \mathrm{bt} + \mathrm{dt}^2$ , and is therefore perfectly predictable. In such circumstances  $\sigma_t^2$  must be zero, and any risk measure should reflect this. But  $\phi_t^2$  as defined above varies systematically with t whenever m > 1.

The origin of these difficulties is the failure to fully specify the information set underlying the construction of  $\sigma_t^2$ . One might attempt to surmount them by defining  $\mathcal{F}_t$  as the elements making up  $\mu_t$ , although that would force the moving average to be based only upon past values of  $\psi_t$ . With this proviso, it is apparent that the proposed definition is motivated by the formula for the sample variance of a stationary series (see Klein (p.700)); for non-stationary series it is a misleading indicator of  $\sigma_t^2$ , producing at best an average of the  $\sigma_t^2$ 's as m  $\to \infty$ . Consequently, variance changes tend to

get blurred.

As a regressor, the use of  $\phi_t^2 = m^{-1} \sum_{j=0}^{m-1} (\psi_{t-j} - \mu_{t-j})^2$  in place of  $\sigma_t^2$  must lead to inconsistent estimators if the current value of  $\psi_t$  appears in it. Few authors appreciate this point; Huizinga and Mishkin (1986) being an exception. One of the few arguments that might be advanced in support of  $\phi_t^2$  as a regressor is that (1) should have  $m^{-1} \sum_{j=0}^{m-1} \sigma_{t-j}^2$  in place of  $\sigma_t^2$ . Then  $\phi_t^2$  has the strong property that  $\phi_t^2 \rightarrow m^{-1} \sum_{j=0}^{m-1} \sigma_{t-j}^2$  as  $m \rightarrow \infty$ , and, with  $m/T \rightarrow 0$  as  $T \rightarrow \infty$ ,  $\delta$  would be consistently estimated by regression. However this would not seem to be what the investigators referred to above actually had in mind when using this procedure, as they almost invariably write the risk terms with no lags.

#### (b) Relative Price Measures

One of the most common measures of  $\sigma_t^2$  when it relates to prices or inflation is that derived from a series showing the relationship of individual prices to the aggregate price level. With  $P_i$  the log of the prices of the i<sup>th</sup> commodity and P the log of the general price level,  $\sigma_t^2$  is replaced by  $\phi_t^2 = m^{-1}\Sigma(P_{it} - P_t)^2$ , where the summation is over m commodities. To analyze the utility of this formula, some model of  $P_{it} - P_t$  is necessary; the one adopted here being that of Lucas (1973) as formulated by Cukierman and Wachtel (1979) and generalized in Pagan et al. (1983). In the latter paper it was shown that, as  $m \to \infty$ ,  $P_{it} - P_t = D_t a_i + \eta_t b_i + v_{it} + o_p(1)$ , where  $\eta_t$  is a

macroeconomic shock common to all markets,  $v_{it}$  is a market-specific shock and  $D_t$  represents the mean value of non-price variables shifting demand and supply curves. Cukierman and Wachtel's formulation has  $P_{it} - P_t = v_{it} + o_p(1)$ , as they assume  $D_t = 0$  and that all markets are identical, thereby making  $b_i = 0$ .

With the identical market assumption and no systematic factors,  $m^{-1}\Sigma(P_{it}-P_t)^2 = m^{-1}\Sigma v_{it}^2 = \phi_t^2 \text{ and it is clear that } \phi_t^2 \to \sigma_t^2 \text{ as } m \to \infty \text{ if } \sigma_t^2 = E(v_{it}^2).$  Therefore, the desirable strong property of a good variance measure alluded to earlier holds, and OLS delivers consistent estimators. 
Undoubtedly, it is this type of argument which underlines the popularity of such a measure. It should be clear however, that the strong property fails to hold when markets are not identical. Then the macroeconomic shock common to all has differential effects upon the prices in each market, the diversity being dependent upon the demand and supply responses. Only the weak property for  $\phi_t^2$  can be invoked in the general case, and thus the estimation difficulties outlined in Sections 2 and 3 recur.

#### (c) Survey Measures

Sometimes measures of uncertainty due to inflation or interest rate fluctuations have been derived from the dispersion of responses given by individuals to questions about their anticipations, e.g. Levi and Makin (1979). Analyzed in the context of the same model as that used to establish

<sup>&</sup>lt;sup>8</sup>Note that many studies actually use the inflation rate rather than the price level so that  $\phi_t^2 \to 2E(v_{it}^2)$ . This may raise questions concerning the definition of  $\sigma_t^2$ .

the characteristics of relative price measures, the survey based approaches are found to have similar deficiencies. This is most clearly seen by examining the polar case where each individual transacts in only one market, 9 so that his anticipated price level combines information from the i<sup>th</sup> market with a "macro" projection of the aggregate price level. Designating this by  $\hat{P}_t(i)$ , it was shown in Pagan et al (1983) that  $\hat{P}_t(i) - P_t = \theta_i(\eta_t \beta_i + \theta_i)$  $\epsilon_{it}$ )- $\eta_t \Sigma w_k \beta_k - \Sigma w_k \epsilon_{kt}$ , where  $\theta_i$  is the weight given to the i<sup>th</sup> price in forming the aggregate anticipation,  $w_k$  are the weights used in constructing the aggregate price level, and  $\beta_i$  depends on the demand and supply curve parameters in the ith market. It is apparent from this formula that the macro shock appears in the survey measure just as it does in indices constructed from relative price dispersion, and therefore the two procedures share the same set of difficulties. An alternative definition is to relate  $\hat{P}_t(i)$  to  $\sum_{k} \hat{P}_{t}(i)$ , i.e., to the average of respondents' anticipations, in which case  $\hat{P}_t(i) - \sum w_k \hat{P}_t(i) = \theta_i(\eta_t \beta_i + \epsilon_i) - \sum \theta_k(\eta_t \beta_k + \epsilon_k)$ , and the macro shock disappears only if all markets are identical. When markets differ, the macro shock has different effects upon the anticipations of actors, depending upon which market they transact in.

#### (d) Measures Based on Particular Parameterisations

All of the above methods could be construed as attempts to avoid an explicit parameterisation for  $\sigma_t^2$ . Some authors have gone much further however, and explicitly parameterised  $\sigma_t^2$ , e.g. Domowitz and Hakkio (1985) and

<sup>&</sup>lt;sup>9</sup>Nothing in the argument below depends on this assumption, but the formula given for the price differential will have different weights attached to the shocks  $\eta_t$  and  $\epsilon_{it}$ .

Engle et al (1987). What differentiates these studies are the variables  $\sigma_t^2$  is assumed to depend upon and the estimation methods employed to obtain estimates of the parameters of interest,  $\tau$  and  $\delta$ . We therefore turn to an examination of some of the main features of this literature.

Existing studies invariably assume that  $\sigma_t^2$  is linearly related to some variable  $z_t$  in the form  $\sigma_t^2 = \sigma^2 + z_t \alpha$ . If observations on  $\phi_t^2$  are available one could re-write this as

$$\phi_{t}^{2} = \sigma^{2} + z_{t}\alpha + (\phi_{t}^{2} - \sigma_{t}^{2}) = \sigma^{2} + z_{t}\alpha + v_{t}$$
 (13)

and joint estimation of (3) with (13) could be performed. One estimator of (3) and (13) would be the instrumental variables estimator described earlier, but alternative procedures would be to apply FIML or to engage in two-stage procedures (one variant of the latter would be to regress  $\phi_t^2$  against unity and  $z_t$ , producing  $\tilde{\sigma}^2$  and  $\tilde{\alpha}$ , and then use  $\tilde{\sigma}_t^2 = \tilde{\sigma}^2 + z_t \tilde{\alpha}$  as a regressor in (3)). Two-stage procedures will only provide valid inferences provided the adjustments to the covariance matrix described in Pagan (1984, p. 240) are done, whereas FIML does not share this problem. However, FIML is far more sensitive to specification errors than the instrumental variables estimator. If the set of variables driving (13) is larger than  $z_t$ , FIML will generally be inconsistent, whereas (IV) will not be. Thus, even if  $\sigma_t^2$  is parameterised, there are sound reasons for employing the instrumental variable estimators discussed in Section 2.

Domowitz and Hakkio (1985) examine risk premia in the exchange rate. In their theoretical model  $\psi_t$  represents foreign and domestic monies, which they take as following a VAR, so that  $\hat{\phi}_t$  would be the residuals from the fitted

VAR, and estimation could be done as described above. However, in practice they depart from their theoretical model, making  $\sigma_t^2$  a function of the past history of  $e_t$ , as defined in (3); in particular they force  $\sigma_t^2$  to be Engle's (1982) ARCH process, say  $\sigma_t^2 = \sigma^2 + e_{t-1}^2 \alpha$ , and then apply MLE to (3) to obtain estimates of  $\gamma$ ,  $\beta$  and  $\alpha$ .

A potential problem with modelling  $\sigma_t^2$  as an ARCH process in  $e_t$  i.e.  $\psi_t = y_t$ , is that the MLE of  $\delta$  is almost certain to be inconsistent if  $\sigma_t^2$  is not of the ARCH form, since the conditional mean in (1) is then mis-specified. Unfortunately, it is not possible to derive an estimate of  $\phi_t$  (in this case  $e_t$ ) that could be used to define the IV estimator of section 2 if  $\sigma_t^2$  really is an ARCH process. The reason for this can be seen by substituting  $\sigma_t^2 = \sigma^2 + e_{t-1}^2 \alpha$  into (1).  $y_t$  may then be expressed as a function of observables by recursion, but it apparent that it depends upon the entire past history of  $y_t$  and  $x_t$ , albeit with declining weights, making the set of members of  $\mathcal{F}_t$  infinite dimensional. Consequently, non-parametric methods which require  $\mathcal{F}_t$  to be finite dimensional cannot be applied. If only a finite number of members of  $\mathcal{F}_t$  are used,  $\mathcal{F}_t$ , Proposition 4 shows that the IV estimator using  $\hat{\phi}_t^2$  based upon  $(\psi_t - E(\psi_t | \mathcal{F}_t))^2$  would be inconsistent.

Faced with this difficulty it is absolutely imperative that some indication of whether the ARCH assumption is valid be obtained. A specification test of the Hausman (1978) type may be implemented in the following way. Let  $\hat{\mathbf{e}}_t$  be the fitted residuals from the ARCH process and  $\hat{\sigma}_t^2$  be the estimated value of  $\sigma_t^2$  implied by the MLE. Form IV estimators of  $\delta$  and  $\gamma$ 

in (3) by using  $\hat{\sigma}_t^2$  as an instrument for  $\hat{\mathbf{e}}_t^2$  ( $\hat{\mathbf{e}}_t = \hat{\boldsymbol{\phi}}_t$  in this case). When the  $\sigma_t^2$  do follow an ARCH process it is obvious that this IV estimator is consistent, since  $\hat{\sigma}_t^2$  is a function of past information and this has zero correlation with  $\mathbf{e}_t^2 - \sigma_t^2$ . In contrast, the most efficient estimator of  $\delta$  and  $\gamma$  under these conditions is the MLE. A comparision of these two estimators is therefore the suggested specification error test. Provided the specification is correct both estimators are consistent, whereas under the alternative there is no reason to believe that they will have the same probability limit since the set of first order conditions defining both estimators are quite different. Precisely in what circumstances this test will be powerful is however beyond this paper. A number of other proposals for detecting specification error in this context are outlined in Pagan and Saban (1987).

### 5. Two Applications

# 5.1 Risk in the Foreign Exchange Market

The presence of a risk premium in foreign exchange markets has been much debated. A number of studies have concluded that there is a risk premium, but that the evidence for it is fairly weak, e.g. Hansen and Hodrick (1983) and Domowitz and Hakkio (1985). Many studies of the efficiency of the foreign exchange market actually proceed as if there was no risk premium, and a good example of this is the research reported by Longworth (1981) on the Canadian-U.S. exchange market over the period 1970/7 to 1978/12. As the data used in that study was available to us, we undertook to examine the evidence for a risk premium in that market over the sample period. It should also be

noted that over this whole period Canada's exchange rate was floating.

The data for the model constituted the log of the spot rate ( $S_t$ ) and the log of the 30-day forward rate  $F_{t-1}$  ( taken at the end of each month). Longworth fitted the standard model ( $\delta$ =0)

$$S_{t} = a+bF_{t-1} + \delta\sigma_{t}^{2}$$
 (14)

and tested market efficiency with the null hypothesis a=0, b=1. In the first column of Table 1 we present results from this regression; estimates of a and b are close to their theoretical values. However, a time series analysis of  $S_t$  and  $F_t$ , shows that both series are ARIMA(0,1,0) with no evidence of any drift, and therefore the "t statistics" in Table 1 cannot be taken to be asymptotically normally distributed (Phillips and Durlauf (1986)). A close examination of the residuals of the estimated model points to

TABLE 1: Estimated Model of the \$US/\$C\*

	(1)	(2)	(3)
a	.00036	0013	0008
	(.29)	(1.19)	(.65)
b	1.0229	1.0291	1.0276
	(43.29)	(52.90)	(51.72)
δ		19.311 (6.71)	13.975 (2.20)

\*The estimated model is  $S_t = a + bF_{t-1} + \delta \sigma_t^2$ . In (2)  $\sigma_t^2$  is replaced by  $\hat{\phi}_t^2$ , where  $\hat{\phi}_t$  is generated non-parametrically with conditioning set  $F_t = [S_{t-1}^-F_{t-2}, S_{t-2}^-F_{t-3}]$ , and  $S_t$  is regressed against unity,  $F_{t-1}$  and  $\hat{\phi}_t^2$ . In (3) estimation is by generalized instrumental variables with the non-parametric estimator of  $\sigma_t^2$  used as an instrument for  $\hat{\phi}_t^2$ . Non-parametric estimation was performed as described in the text. Absolute "t-values" using heteroskedastic consistent standard errors are in parentheses. All computations were done on a COMPAQ Deskpro 286 using the Data-FIT micro-computer package written by H. and B. Pesaran (Oxford University Press)

potential weaknesses in it. In particular there is evidence of non-linear effects, with the t-statistic for the regression of the squared residuals against their lagged value being 2.05.

Our first task is to check for the existence of a risk premium, i.e. to test if  $\delta$ =0 in (14). As observed in footnote 4, any proxy for  $\sigma_t^2$  could be used for that purpose. Moreover, OLS is a perfectly appropriate estimator of  $\delta$ =0 since, under the null hypothesis, the correlation of  $\phi_t^2$  with  $\delta(\sigma_t^2 - \phi_t^2)$  is zero. The best proxy to use would be  $\sigma_t^2$ . On the basis of theoretical models

such as Stockman (1978), measures of  $\sigma_t^2$  should derive from the conditional variances of domestic and foreign money supplies. Instead we follow Domowitz and Hakkio (1985) who make  $\phi_t = e_t = S_t - F_{t-1} - \delta \sigma_t^2 = \psi_t - E(\psi_t | \mathcal{F}_t)$ , where  $\psi_t = S_t - F_{t-1}$ .  $\mathcal{F}_t$  was then defined as  $(\psi_{t-1}, \psi_{t-2})$  and a non-parametric estimate of  $\phi_t$  was found. The normal kernel,  $K(\cdot) = (2\pi)^{-1/2} \exp\{-(2\gamma_T^2 s_\psi^2)^{-1} [(\psi_{t-1} - \bar{\psi}_{t-1})^2 + (\psi_{t-2} - \bar{\psi}_{t-2})^2]\}, \text{ where } s_\psi \text{ is the sample standard deviation of } \psi_t, \bar{\psi}_{t-j} \text{ is the observed value of } \psi_{t-j} \text{ and } \gamma_T = T^{-1/6}, \text{ was used to compute } E(\psi_t | \bar{\psi}_{t-1}, \bar{\psi}_{t-2}) \text{ (arguments for the use of } s_\psi \text{ and } \gamma_T \text{ of this form are given in Singh and Ullah (1985))}. A regression of <math>S_t$  against unity,  $F_{t-1}$  and  $\hat{\phi}_t^2$  is given in column 2 of Table 1. Proposition 6 covers this

From the results in Table 1 there is very strong evidence that the basic "efficiency" model is not a complete representation of the data. Of course, rejection of the null hypothesis  $\delta$ =0 need not lead to acceptance of the alternative that the missing factor is a risk premium, but the fact that theoretical models accord it a role in the determination of the discount  $S_t$  -  $F_{t-1}$  is suggestive. It is of some interest to see how  $\sigma_t^2$  varied over the

case.2

<sup>^1</sup>Actually these authors define  $\phi_t = S_t - E(S_t | \mathcal{F}_t)$ , where the conditional expectation is  $a+bF_{t-1}+\delta\sigma_t^2$  and  $\sigma_t^2$  is defined as an ARCH process in terms of  $\phi_{t-j}^2$ . Because  $S_t$  and  $F_t$  are ARIMA(0,1,0), we assume that the co-integrating vector is (1 - 1) as given by theory. This must also be true for Domowitz and Hakkio, as the asymptotic theory for ARCH processes requires  $\phi_t$  to be stationary and this could not be so if  $b \neq 1$ .

There is only minor difference between the results for  $\hat{\delta}$  obtained in this Table and those if we had set b=1 throughout, which we argue must be the true value. Given the Sims, Stock and Watson (1986) results, freely estimating b has no effect on the asymptotic theory for  $\hat{\delta}$ .

sample period. Accordingly,  $\sigma_t^2$  was estimated non-parametrically in the same way as  $\phi_t$  was. What was most striking in this series was the rise in  $\sigma_t^2$  that occurs after 1976; the most likely explanation being the increase in uncertainty over this period due to the election of the Parti Quebecois, whose platform emphasized the separation of Quebec from Canada.

Column three of Table 1 estimates  $\delta$  by the instrumental variables estimator of Proposition 5, where the instrument for  $\hat{\phi}_t^2$  is  $\hat{\sigma}_t^2$ . In fact, Proposition 5 showed that the estimator of  $\delta$  would be consistent, although no limiting distribution could be found. What is of most interest in this column is that the OLS estimate of  $\delta$  actually exceeds the IV estimate. Although the OLS estimator inconsistency should always be negative because of the "errors in variables" problem, in this instance there is another source of bias arising from the fact that  $\hat{\phi}_t^2 = \hat{e}_t^2$ . If the  $e_t$  in (2) are not symmetrically distributed, the OLS estimator of  $\delta$  would be inconsistent due to correlation of regressor with disturbance. The inconsistency in the OLS estimator due to this effect is positive if  $E(e_t^3)$  is positive, and can easily outweigh the errors in variables bias if  $E(e_t^3)-E(e_t^4)+(E(e_t^2))^2$  exceeds zero, since the sign of the inconsistency depends on that quantity. In fact, the non-parametric residuals  $\hat{\phi}_t$  have a positive third moment that is some ten times greater than the fourth moment , and this seems to be the likely explanation for the relative magnitudes of the OLS and IV estimators of  $\delta$  in Table 1.

### 5.2 Inflation Volatility and Real Effects

The real effects of high and variable inflation were a much debated issue in the early 1980's and a number of papers investigated the quantitative impact of a volatile inflation rate upon output growth, employment, investment, etc. Coulson and Robins (1985) is a good representative of such studies. They argued that the rate of unemployment ( $R_t$ ) could be dynamically related to the unanticipated inflation rate ( $\phi_t$ ) and an index of the volatility of inflation ( $\sigma_t^2$ ). Specifically, they estimate the equation

$$R_{t} = a + \delta \sigma_{t}^{2} + \sum_{j=1}^{8} c_{j} R_{t-j} + \sum_{j=0}^{6} d_{j} \phi_{t-j}, \qquad (15)$$

Coulson and Robins followed Engle (1983) in assuming that the inflation rate  $(\psi_t)$  was a function of a number of variables such as the money growth rate  $(\mathbf{w}_t)$ , while  $\sigma_t^2$  followed an ARCH process. Estimates of  $\phi_t$  and  $\sigma_t^2$  were then made from the residuals,  $\hat{\phi}_t$ , and estimated variances,  $\hat{\sigma}_t^2$ , generated after maximum likelihood estimation of the ARCH process (in fact they used the estimates in Engle (1983)).

Coulson and Robins regressed  $R_t$  against a constant,  $\hat{\sigma}_t^2$ ,  $R_{t-j}$  and  $\hat{\phi}_{t-j}$  and found that  $\delta$  was -.698 with a t-statistic of -3.772. To parallel Coulson and Robins' work we took the civilian unemployment series from Gordon (1984) as  $R_t$  and values for  $\hat{\phi}_t$  and  $\hat{\sigma}_t^2$  from Engle (1983). Column 1 of Table 2 gives "Coulson-Robins" estimates. It is apparent that, although the estimate of  $\delta$  is different, the same conclusions about the impact of  $\sigma_t^2$  upon  $R_t$  would be

reached as in the earlier study. 12

Column 2 of Table 2 shows what would happen if  $\hat{\phi}_t^2$  was used as a regressor proxying for  $\sigma_t^2$ . In fact, it is not unusual in investigations of this sort for the  $\hat{\phi}_t$  to be the residuals from a fitted ARMA model. As predicted, the errors in variables problem makes the resulting estimator of  $\delta$  severely biased, and an investigator doing this regression would inevitably conclude that inflation volatility had negligible effects upon unemployment.

The estimate of  $\delta$  in column (1) would be incorrect if the ARCH specification for  $\sigma_t^2$  is invalid. But, as indicated in section 4(d), it is possible to construct an estimator of  $\delta$  that is robust to specification error in  $\sigma_t^2$  by performing instrumental variables; simply replace  $\sigma_t^2$  by  $\hat{\phi}_t^2$  and use  $\hat{\sigma}_t^2$  as an instrument for  $\hat{\phi}_t^2$ . Our argument here is that, if one is going to restrict attention to parametric formulations of  $\mathrm{E}(\mathbf{y}_t|\mathbf{x}_t)$  and  $\sigma_t^2$ , it is advisable to compute an estimator of  $\delta$  robustly, and this involves using  $\hat{\sigma}_t^2$  as an instrument for  $\hat{\phi}_t^2$  rather than employing  $\hat{\sigma}_t^2$  as a regressor. Column (3) has a larger quantitative effect of  $\sigma_t^2$  upon  $\mathrm{R}_t$ , although the standard error of  $\hat{\delta}$  is such that the Coulsen-Robbins estimate seems reasonable.

 $<sup>^{12}</sup>$  Actually, because  $\hat{\sigma}_t^2$  is a function of  $\hat{\theta},$  the standard errors of  $\hat{\delta}$  from a regression package will be biased - Pagan (1984, p.241) - unless account is taken of the fact that  $\theta$  is estimated. However, we could make no adjustment as neither Engle nor the Journal of Money, Credit and Banking could provide us with the original data.

Table 2
Estimates of the Parameters of Equation (15)\*

	(1)	<u>(2)</u>	(3)
a	.3760	.2943	.2882
	(2.60)	(2.00)	(1.44)
δ	5340	0680	9194
	(2.91)	(.75)	(2.06)
<sup>γ</sup> 0	.9542	.9458	.9848
	(35.3)	(33.72)	(22.85)
<sup>γ</sup> 1	.6420	.3017	1.1527
	(3.01)	(1.59)	(2.3)

\*Absolute values of t-statistics are in parentheses,  $\tau_0 = \Sigma c_j$ ,  $\tau_1 = \Sigma d_j$ . Data on  $R_t$  is from Gordon (1984),  $\hat{\phi}_t$  and  $\hat{\sigma}_t^2$  from Engle (1983). Column (1) is OLS using  $\hat{\sigma}_t^2$  in place of  $\sigma_t^2$ . Column (2) is OLS using  $\hat{\phi}_t^2$  in place of  $\sigma_t^2$ . Column (3) is GIVE with  $\hat{\sigma}_t^2$  replacing  $\hat{\phi}_t^2$  in the list of instruments.

### Conclusion

In this paper we have attempted to provide an integrated approach to the estimation of models with risk terms. In sections two and three it was argued that there exists orthogonality conditions between variables in the information set and higher order moments of the unanticipated variable density. These could be exploited to provide consistent estimators of the parameters associated with the risk term. Specifically, it was recommended that an IV estimator should be applied, with instruments constructed from the information set. Viewed in this way, our analysis represents an extension of

current methods for the estimation of models featuring anticipations.

Differences largely stem from the fact that higher order moments are involved, but these are sufficiently distinctive to justify a separate treatment.

Section 4 analysed four existing methods commonly used to estimate models with risk terms. These involved the construction of risk measures from relative prices and survey data, moving averages of time series, and direct parameterisation. Various problems with the use of each method were identified. Finally, section 5 used the theory of earlier sections to re-examine a few applied studies in the literature. These involved the presence of a risk term in the \$US/\$C exchange market and the effects of price uncertainty upon production.

#### REFERENCES

- Bierens, H. (1983), "Uniform Consistency of Kernel Estimators of a Regression Function under Generalized Conditions," Journal of American Statistical Association, 78, 699-707.
- Bierens, H. (1987), "Kernel Estimators of Regression Functions", in T.F. Bewley (ed.) Advances in Economic Theory: Fifth World Congress of the Econometric Society, (Cambridge University Press).
- Carroll, R. J. (1982), "Adapting for Heteroscedasticity in Linear Models", Annals of Statistics, 10, 1224-1233.
- Coulson, N. E. and R. P. Robins (1985), "Aggregate Economic Activity and the Variability of Inflation: Another Look", Economics Letters, 17, 71-75.
- Cukierman, A. and P. Wachtel (1979), "Differential Inflationary Expectations and the Variability of the Rate of Inflation: Theories and Evidence", American Economic Review, 69, 595-609.
- Domowitz, I. and C. S. Hakkio (1985), "Conditional Variance and the Risk Premium in the Foreign Exchange Market", Journal of International Economics, 19, 47-66.
- Engle, R. F. (1982), "Autoregressive Conditional Heteroscedasticity with Estimates of the Variance of United Kingdom Inflation", Econometrica, 50, 987-1008.
- Engle, R. F. (1983), "Estimates of the Variance of U.S. Inflation Based Upon the ARCH Model", Journal of Money, Credit and Banking, 15, 286-301.
- Engle, R. F., D. M. Lillien and R. P. Robins (1987), "Estimating Time Varying Risk Premia in the Term Structure: The ARCH-M Model", Econometrica, 55, 391-407.
- Engle, R. F. and C. W. J. Granger (1987), "Dynamic Model Specification with Equilibrium Constraints: Co-Integration and Error Correction", Econometrica, 55, 251-276.
- Frankel, J. (1985), "Portfolio Crowding Out Empirically Estimated", Quarterly Journal of Economics, Vol C. Supplement, 1041-1065.
- French, K.R., G. W. Schwert and R.F. Stambaugh (1987), "Expected Stock Returns and Volatility", Journal of Financial Economics, 19,3-29.

- Friedman, M. (1977), "Nobel Lecture: Inflation and Unemployment", Journal of Political Economy, 85, 451-472.
- Gylfason, T. (1981), "Interest Rates, Inflation and the Aggregate Consumption Function", Review of Economics and Statistics, 63, 233-245.
- Gordon, R. J. (1984), Macroeconomics (Little, Brown and Co., Boston).
- Hansen, L. P. (1982), "Large Sample Properties of Generalized Method of Moments Estimators", Econometrica, 50, 1029-1054.
- Hansen, L. P. and R. J. Hodrick (1983), "Risk Averse Speculation in the Forward Foreign Exchange Market: An Econometric Analysis of Linear Models", in J. A. Frenkel (ed.), Exchange Rates and International Macroeconomics (Chicago: University of Chicago Press for the National Bureau of Economic Research).
- Hausman, J. (1978), "Specification Tests in Econometrics", Econometrica, 46, 1251-1272.
- Huizinga, J. and F. S. Mishkin (1986), "Monetary Policy Regime Shifts and the Unusual Behavior of Real Interest Rates", Carnegie-Rochester Conference Series on Public Policy, 24, 231-274.
- Hercowitz, Z. (1981), "Money and the Dispersion of Relative Prices", Journal of Political Economy, 89, 328-356.
- Ibrahim, I.B. and R. Williams (1978), "Price Unpredictability and Monetary Standards: A Comment on Klein's Measure of Price Uncertainty", Economic Inquiry, 16, 431-437.
- Klein, B. (1977), "The Demand for Quality-Adjusted Cash Balances: Price Uncertainty in the U.S. Demand for Money Function", Journal of Political Economy, 85, 691-715.
- Lawrence, C. (1983), "Rational Expectations, Supply Shocks and the Stability of the Inflation-Output Tradeoff", Journal of Monetary Economics, 11, 225-245.
- Leland, H. E. (1968), "Saving and Uncertainty: The Precautionary Demand for Saving", Quarterly Journal of Economics, 82, 465-473.
- Longworth, D. (1981), "Testing the Efficiency of the Canadian-U.S. Exchange Market Under the Assumption of No Risk Premium", Journal of Finance, 36, 43-49.
- Levi, M. and J. Makin (1979), "Fisher, Phillips, Friedman and the Measured Impact of Inflation on Interest", Journal of Finance, 34, 35-52.

- Lucas, R. E. (1973), "Some International Evidence on Output-Inflation Tradeoffs", American Economic Review, 63, 326-334.
- Malkiel, B. G. (1979), "The Capital Formation Problem in the United States", Journal of Finance, 34, 291-306.
- Mascaro, A. and A. H. Meltzer (1983), "Long and Short-Term Interest Rates in a Risky World", Journal of Monetary Economics, 12, 485-518.
- Nadaraya, E. A. (1964), "On Estimating Regression", Theory of Probability and its Applications, 9, 141-142.
- Nelson, C. R. (1975), "Rational Expectations and the Estimation of Econometric Models", International Economic Review, 16, 555-561.
- Newey, W. and K. West (1987), "A Simple Positive Definite, Heteroskedasticity and Autocorrelation Consistent Covariance Matrix", Econometrica, 55, 703-708.
- Pagan, A. R. (1984), "Econometric Issues in the Analysis of Regressions with Generated Regressors", International Economic Review, 25, 221-247.
- Pagan, A. R., A. D. Hall and P. K. Trivedi (1983), "Assessing the Variability of Inflation", Review of Economic Studies, 50, 585-596.
- Pagan, A.R. and H. Sabau (1987), "Consistency Tests for Heteroskedastic and Risk Models", (mimeo, University of Rochester).
- Pindyck, R. S. (1984), "Risk, Inflation and the Stock Market", American Economic Review, 74, 335-351.
- Phillips, P. C. B. (1987), "Time Series Regression with Unit Roots", Econometrica, 55, 277-301
- Phillips, P.C.B. and S.N. Durlauf (1986), "Multiple Time Series with Integrated Variables", Review of Economic Studies, 53, 473-496.
- Poterba, J. M. and L. H. Summers (1986), "The Persistence of Volatility and Stock Market Fluctuations", American Economic Review, 76, 1142-1151.
- Robinson, P. M. (1983), "Non-parametric Estimators for Time Series", Journal of Time Series Analysis, 4, 185-207.
- Robinson, P. M. (1986), "Nonparametric Methods in Specification," Economic Journal, supplement, 96, 134-141.
- Robinson, P. M. (1987), "Asymptotically Efficient Estimation in the Presence of Heteroscedasticity of Unknown Form", Econometrica, 55,875-891.
- Sargan, J. D. (1958), "The Estimation of Relationships Using Instrumental Variables", Econometrica, 26, 393-415.

- Shiller, R. J. (1981), "Do Stock Prices Move Too Much to be Justified by Subsequent Changes in Dividends?", American Economic Review, 71, 421-436.
- Sims, C. A., J. H. Stock and M. W. Watson (1986), "Inference in Linear Time Series Models with Some Unit Roots", (Mimeo, Stanford University).
- Singh, R. S. and A. Ullah (1985), "Nonparametric Time Series Estimation of Joint DGP, Conditional DGP and Vector Autoregression", Econometric Theory, 1, 27-52.
- Singh, R.S. and A.Ullah (1987), "Corrections", (mimeo, University of Western Ontario)
- Stock, J.H. (1985), "Non-parametric Policy Analysis", (mimeo, Havard University)
- Stockman, A. (1978), "Risk, Information and Forward Exchange Rates", in J. A. Frenkel and H. G. Johnson (eds.) The Economics of Exchange Rates, Reading, Massachusetts: Addison-Wesley, 1978.
- Ullah, A. (1986), "Non-Parametric Estimation of Econometric Functionals", (Mimeo, University of Western Ontario).
- Vanderhoff, J. (1983), "Support for Rational Expectations Models with U.S. Data", Journal of Monetary Economics, 12, 297-308
- Watson, G. S. (1964), "Smooth Regression Analysis", Sankhya, Series A, 26, 359-372.
- White, H. (1980), "A Heteroscedasticity-Consistent Covariance Matrix Estimator and a Direct Test for Heteroscedasticity", Econometrica, 48, 817-838.
- White H. (1984), Asymptotic Theory for Econometricians (New York: Academic Press).
- Wickens, M. R. (1982), "The Efficient Estimation of Econometric Models with Rational Expectations", Review of Economic Studies, 49, 55-68.

## Rochester Center for Economic Research University of Rochester Department of Economics Rochester, NY 14627

#### 1986-87 DISCUSSION PAPERS

- WP#33 OIL PRICE SHOCKS AND THE DISPERSION HYPOTHESIS, 1900 1980 by Prakash Loungani, January 1986
- WP#34 RISK SHARING, INDIVISIBLE LABOR AND AGGREGATE FLUCTUATIONS by Richard Rogerson, (Revised) February 1986
- WP#35 PRICE CONTRACTS, OUTPUT, AND MONETARY DISTURBANCES by Alan C. Stockman, October 1985
- WP#36 FISCAL POLICIES AND INTERNATIONAL FINANCIAL MARKETS by Alan C. Stockman, March 1986
- WP#37 LARGE-SCALE TAX REFORM: THE EXAMPLE OF EMPLOYER-PAID HEALTH INSURANCE PREMIUMS by Charles E. Phelps, March 1986
- WP#38 INVESTMENT, CAPACITY UTILIZATION AND THE REAL BUSINESS CYCLE by Jeremy Greenwood and Zvi Hercowitz, April 1986
- WP#39 THE ECONOMICS OF SCHOOLING: PRODUCTION AND EFFICIENCY IN PUBLIC SCHOOLS
  by Eric A. Hanushek, April 1986
- WP#40 EMPLOYMENT RELATIONS IN DUAL LABOR MARKETS (IT'S NICE WORK IF YOU CAN GET IT!)
  by Walter Y. Oi, April 1986
- WP#41 SECTORAL DISTURBANCES, GOVERNMENT POLICIES, AND INDUSTRIAL OUTPUT IN SEVEN EUROPEAN COUNTRIES by Alan C. Stockman, April 1986
- WP#42 SMOOOTH VALUATIONS FUNCTIONS AND DETERMINANCY WITH INFINITELY LIVED CONSUMERS by Timothy J. Kehoe, David K. Levine and Paul R. Romer, April 1986
- WP#43 AN OPERATIONAL THEORY OF MONOPOLY UNION-COMPETITIVE FIRM INTERACTION by Glenn M. MacDonald and Chris Robinson, June 1986
- WP#44 JOB MOBILITY AND THE INFORMATION CONTENT OF EQUILIBRIUM WAGES: PART 1, by Glenn M. MacDonald, June 1986
- WP#45 SKI-LIFT PRICING, WITH APPLICATIONS TO LABOR AND OTHER MARKETS by Robert J. Barro and Paul M. Romer, May 1986, revised April 1987

- WP#46 FORMULA BUDGETING: THE ECONOMICS AND ANALYTICS OF FISCAL POLICY UNDER RULES, by Eric A. Hanushek, June 1986
- WP#48 EXCHANGE RATE POLICY, WAGE FORMATION, AND CREDIBILITY by Henrik Horn and Torsten Persson, June 1986
- WP#49 MONEY AND BUSINESS CYCLES: COMMENTS ON BERNANKE AND RELATED LITERATURE, by Robert G. King, July 1986
- WP#50 NOMINAL SURPRISES, REAL FACTORS AND PROPAGATION MECHANISMS by Robert G. King and Charles I. Plosser, Final Draft: July 1986
- WP#51 JOB MOBILITY IN MARKET EQUILIBRIUM by Glenn M. MacDonald, August 1986
- WP#52 SECRECY, SPECULATION AND POLICY by Robert G. King, (revised) August 1986
- WP#53 THE TULIPMANIA LEGEND by Peter M. Garber, July 1986
- WP#54 THE WELFARE THEOREMS AND ECONOMIES WITH LAND AND A FINITE NUMBER OF TRADERS, by Marcus Berliant and Karl Dunz, July 1986
- WP#55 NONLABOR SUPPLY RESPONSES TO THE INCOME MAINTENANCE EXPERIMENTS by Eric A. Hanushek, August 1986
- WP#56 INDIVISIBLE LABOR, EXPERIENCE AND INTERTEMPORAL ALLOCATIONS by Vittorio U. Grilli and Richard Rogerson, September 1986
- WP#57 TIME CONSISTENCY OF FISCAL AND MONETARY POLICY by Mats Persson, Torsten Persson and Lars E. O. Svensson, September 1986
- WP#58 ON THE NATURE OF UNEMPLOYMENT IN ECONOMIES WITH EFFICIENT RISK SHARING, by Richard Rogerson and Randall Wright, September 1986
- WP#59 INFORMATION PRODUCTION, EVALUATION RISK, AND OPTIMAL CONTRACTS by Monica Hargraves and Paul M. Romer, September 1986
- WP#60 RECURSIVE UTILITY AND THE RAMSEY PROBLEM by John H. Boyd III, October 1986
- WP#61 WHO LEAVES WHOM IN DURABLE TRADING MATCHES by Kenneth J. McLaughlin, October 1986
- WP#62 SYMMETRIES, EQUILIBRIA AND THE VALUE FUNCTION by John H. Boyd III, December 1986
- WP#63 A NOTE ON INCOME TAXATION AND THE CORE by Marcus Berliant, December 1986

- WP#64 INCREASING RETURNS, SPECIALIZATION, AND EXTERNAL ECONOMIES: GROWTH AS DESCRIBED BY ALLYN YOUNG, By Paul M. Romer, December 1986
- WP#65 THE QUIT-LAYOFF DISTINCTION: EMPIRICAL REGULARITIES by Kenneth J. McLaughlin, December 1986
- WP#66 FURTHER EVIDENCE ON THE RELATION BETWEEN FISCAL POLICY AND THE TERM STRUCTURE, by Charles I. Plosser, December 1986
- WP#67 INVENTORIES AND THE VOLATILITY OF PRODUCTION by James A. Kahn, December 1986
- WP#68 RECURSIVE UTILITY AND OPTIMAL CAPITAL ACCUMULATION, I: EXISTENCE, by Robert A. Becker, John H. Boyd III, and Bom Yong Sung, January 1987
- WP#69 MONEY AND MARKET INCOMPLETENESS IN OVERLAPPING-GENERATIONS MODELS, by Marianne Baxter, January 1987
- WP#70 GROWTH BASED ON INCREASING RETURNS DUE TO SPECIALIZATION by Paul M. Romer, January 1987
- WP#71 WHY A STUBBORN CONSERVATIVE WOULD RUN A DEFICIT: POLICY WITH TIME-INCONSISTENT PREFERENCES by Torsten Persson and Lars E.O. Svensson, January 1987
- WP#72 ON THE CONTINUUM APPROACH OF SPATIAL AND SOME LOCAL PUBLIC GOODS OR PRODUCT DIFFERENTIATION MODELS by Marcus Berliant and Thijs ten Raa, January 1987
- WP#73 THE QUIT-LAYOFF DISTINCTION: GROWTH EFFECTS by Kenneth J. McLaughlin, February 1987
- WP#74 SOCIAL SECURITY, LIQUIDITY, AND EARLY RETIREMENT by James A. Kahn, March 1987
- WP#75 THE PRODUCT CYCLE HYPOTHESIS AND THE HECKSCHER-OHLIN-SAMUELSON THEORY OF INTERNATIONAL TRADE by Sugata Marjit, April 1987
- WP#76 NOTIONS OF EQUAL OPPORTUNITIES by William Thomson, April 1987
- WP#77 BARGAINING PROBLEMS WITH UNCERTAIN DISAGREEMENT POINTS by Youngsub Chun and William Thomson, April 1987
- WP#78 THE ECONOMICS OF RISING STARS by Glenn M. MacDonald, April 1987
- WP#79 STOCHASTIC TRENDS AND ECONOMIC FLUCTUATIONS by Robert King, Charles Plosser, James Stock, and Mark Watson, April 1987

- WP#80 INTEREST RATE SMOOTHING AND PRICE LEVEL TREND-STATIONARITY by Marvin Goodfriend, April 1987
- WP#81 THE EQUILIBRIUM APPROACH TO EXCHANGE RATES by Alan C. Stockman, revised, April 1987
- WP#82 INTEREST-RATE SMOOTHING by Robert J. Barro, May 1987
- WP#83 CYCLICAL PRICING OF DURABLE LUXURIES by Mark Bils, May 1987
- WP#84 EQUILIBRIUM IN COOPERATIVE GAMES OF POLICY FORMULATION by Thomas F. Cooley and Bruce D. Smith, May 1987
- WP#85 RENT SHARING AND TURNOVER IN A MODEL WITH EFFICIENCY UNITS OF HUMAN CAPITAL by Kenneth J. McLaughlin, revised, May 1987
- WP#86 THE CYCLICALITY OF LABOR TURNOVER: A JOINT WEALTH MAXIMIZING HYPOTHESIS by Kenneth J. McLaughlin, revised, May 1987
- WP#87 CAN EVERYONE BENEFIT FROM GROWTH? THREE DIFFICULTIES by Herve' Moulin and William Thomson, May 1987
- WP#88 TRADE IN RISKY ASSETS by Lars E.O. Svensson, May 1987
- WP#89 RATIONAL EXPECTATIONS MODELS WITH CENSORED VARIABLES by Marianne Baxter, June 1987
- WP#90 EMPIRICAL EXAMINATIONS OF THE INFORMATION SETS OF ECONOMIC AGENTS by Nils Gottfries and Torsten Persson, June 1987
- WP#91 DO WAGES VARY IN CITIES? AN EMPIRICAL STUDY OF URBAN LABOR MARKETS by Eric A. Hanushek, June 1987
- WP#92 ASPECTS OF TOURNAMENT MODELS: A SURVEY by Kenneth J. McLaughlin, July 1987
- WP#93 ON MODELLING THE NATURAL RATE OF UNEMPLOYMENT WITH INDIVISIBLE LABOR by Jeremy Greenwood and Gregory W. Huffman
- WP#94 TWENTY YEARS AFTER: ECONOMETRICS, 1966-1986 by Adrian Pagan, August 1987
- WP#95 ON WELFARE THEORY AND URBAN ECONOMICS by Marcus Berliant, Yorgos Y. Papageorgiou and Ping Wang, August 1987
- WP#96 ENDOGENOUS FINANCIAL STRUCTURE IN AN ECONOMY WITH PRIVATE INFORMATION
  by James Kahn, August 1987

- WP#97 THE TRADE-OFF BETWEEN CHILD QUANTITY AND QUALITY: SOME EMPIRICAL EVIDENCE by Eric Hanushek, September 1987
- WP#98 SUPPLY AND EQUILIBRIUM IN AN ECONOMY WITH LAND AND PRODUCTION by Marcus Berliant and Hou-Wen Jeng, September 1987
- WP#99 AXIOMS CONCERNING UNCERTAIN DISAGREEMENT POINTS FOR 2-PERSON BARGAINING PROBLEMS by Youngsub Chun, September 1987
- WP#100 MONEY AND INFLATION IN THE AMERICAN COLONIES: FURTHER EVIDENCE ON THE FAILURE OF THE QUANTITY THEORY by Bruce Smith, October 1987
- WP#101 BANK PANICS, SUSPENSIONS, AND GEOGRAPHY: SOME NOTES ON THE "CONTAGION OF FEAR" IN BANKING by Bruce Smith, October 1987
- WP#102 LEGAL RESTRICTIONS, "SUNSPOTS", AND CYCLES by Bruce Smith, October 1987
- WP#103 THE QUIT-LAYOFF DISTINCTION IN A JOINT WEALTH MAXIMIZING APPROACH TO LABOR TURNOVER by Kenneth McLaughlin, October 1987
- WP#104 ON THE INCONSISTENCY OF THE MLE IN CERTAIN HETEROSKEDASTIC REGRESSION MODELS by Adrian Pagan and H. Sabau, October 1987
- WP#105 RECURRENT ADVERTISING
  by Ignatius J. Horstmann and Glenn M. MacDonald, October 1987
- WP#106 PREDICTIVE EFFICIENCY FOR SIMPLE NONLINEAR MODELS by Thomas F. Cooley, William R. Parke and Siddhartha Chib, October 1987
- WP#107 CREDIBILITY OF MACROECONOMIC POLICY: AN INTRODUCTION AND A BROAD SURVEY by Torsten Persson, November 1987
- WP#108 SOCIAL CONTRACTS AS ASSETS: A POSSIBLE SOLUTION TO THE TIME-CONSISTENCY PROBLEM by Laurence Kotlikoff, Torsten Persson and Lars E. O. Svensson, November 1987
- WP#109 EXCHANGE RATE VARIABILITY AND ASSET TRADE by Torsten Persson and Lars E. O. Svensson, Novmeber 1987
- WP#110 MICROFOUNDATIONS OF INDIVISIBLE LABOR
  by Vittorio Grilli and Richard Rogerson, November 1987
- WP#111 FISCAL POLICIES AND THE DOLLAR/POUND EXCHANGE RATE: 1870-1984 by Vittorio Grilli, November 1987

- WP#112 INFLATION AND STOCK RETURNS WITH COMPLETE MARKETS by Thomas Cooley and Jon Sonstelie, November 1987
- WP#113 THE ECONOMETRIC ANALYSIS OF MODELS WITH RISK TERMS by Adrian Pagan and Aman Ullah, December 1987

To order copies of the above papers complete the attached invoice and return to Christine Massaro, W. Allen Wallis Institute of Political Economy, RCER, 109B Harkness Hall, University of Rochester, Rochester, NY 14627. Three (3) papers per year will be provided free of charge as requested below. Each additional paper will require a \$5.00 service fee which must be enclosed with your order. For your convenience an invoice is provided below in order that you may request payment from your institution as necessary. Please make your check payable to the Rochester Center for Economic Research. Checks must be drawn from a U.S. bank and in U.S. dollars.

W. Allen Wallis Institute for Political Economy

# Rochester Center for Economic Research, Working Paper Series

	OFFICIAL INV	OICE
Requestor's Name		
Requestor's Address		
_		
_		
_		
Please send me the following p	apers free of charg	ge (Limit: 3 free per year).
WP#	WP#	WP#
I understand there is a \$5.00 fe money order in the amount of	e for each addition	nal paper. Enclosed is my check or ease send me the following papers.
WP#	WP#	WP#